preserve
M 25/2/43

App. F. IX-4

1926-6
pris)

File No. 23-2

Previous References

Serial Nos. 1-1

Later References
pris 41-26(1-4)

General and Revenue Secretariat.

Serial Nos. 1 for order

Part B for January 1927

SUBJECT

modified type plans for adoption to build
lock-ups in connection with the
construction of a new lockup building at
Sagar.

Submitted
1.2.27.

The D. J. of pris's
The Comptr.
The Ch. Engineer

No. GS 1207-7 B 5.8.26
Sanctioning modified type design and
estimate for adoption in future for Lock
ups & requests the Ch. Engineer to
arrange for a lock up being built in accordance with the

R. S. III—1]

GENERAL AND REVENUE SECRETARIAT. 1666

NOTES.

File No. 23

FILE HEADING.

Modified type plan for adoption to build lockup in connection with the Construction of a new lockup building at Sagar

No. 1294/31-25 Dated 17. 10. 25 Received 19. 10. 25

Diary No. 1666	Enclos. 3	Spare Copies.	Serial No. 1

BRIEF ABSTRACT OF LETTER.

Requesting approval of the plan now sent for the construction of a new lockup building at Sagar at estimated cost of Rs 5000/- and for adopting the same as type plan for building lockups.

NOTES AND ORDERS.

Laid for perusal and orders. Sanction in the administrative dept for the construction of a new lockup at Sagar does not appear to have been given. The estimate is the sum of Rs 5000/- in the Budget for 1925-26. Perhaps

1866

and Revenue
cretariat

File No.

Serial No

by the P. W. D. on their own initiative
2) How the proposed plan is a decided improvement over the existing type design which is also enclosed for reference has not been explained.

3) In respect of the kitchen, mud walls to the partitions by Guards has been proposed. The Dy. Commr. in his Remark in Para 4 of his report has brought to the notice of the Govt. the unsuitability of the kitchen unpartitioned by pucka walls & doors &c. Before adopting the plan, it may perhaps be desirable to obtain plans of Sub-Jails in the Bo. India - adopted on the recommendations of the Bo. Jail Committee, and detailed information on the above points obtained.

Dr. Agency.

20/10/5.

4) The plan may perhaps be approved as a pattern for Taluk Lock-ups. The kitchen is proposed to be built of mud-walls by the convicts themselves. This is open to objection raised by the Dy Insp Genl on previous occasions, that mud-walls are unsatisfactory & unsafe. It be desirable to obtain model plans from B before finally adopting the pattern.

Dr. Agency

Serial No

7 8/Issue cay 3/11

2 1/6 The D.G of Posts No P2337 D 6-11-25 Regarding to obtain 3 foreign model plans from British India for the purpose of Comparison before adopting the plan

3. Letter no: 1533/31-25. of 10.12.25 from the D.G. of Posts. forwarding a copy of the plan of the Lalbagh of the Madras Presy: & stating that he will forward one of Bombay also on application.

4 Subject for perusal of orders. The copy of the Bombay model may perhaps be also awaited 5/6 yes. cay 14/12

Pers 15/12

Letter - Typed 14-12-25 14/12

Typed 15/12

4 Letter no: 1547/31-25. of 14.12.25 from the D.G. of Posts: forwarding a copy of the plan of the Lalbagh at Ahmedabad & requesting a return of the same when done with for return to the D.G. of Posts. Bombay.

11 Subject for perusal of orders.

12) The Bombay model appears to be an elaborate one more fitted for a

Serial No

District-jail than a lock-up in Nagpur and more than our requirements.

A copy of this plan may be made worthy preservation for reference and use at any future time, and the Chief Inspector may perhaps be asked to make such a copy and preserve it in his office.

13) The Madras model, the accommodation provided there is almost the same as in Nagpur viz 6 cells, and the whole block is attached to the Taluka office as part and parcel of it; and even in Nagpur, where new type design Taluka offices exist, this sort of lock-up arrangement prevails e.g. Tantkere, Kundalpur &c, except that kitchen & latrines are outside the building but in the Cutchery compound, and therefore the Madras plan does not appear to be a decided improvement whatever over our plan.

14) If it is possible to attach the proposed new lock-up block to the Sajar Taluka office itself as part of the main building & not as a separate one in the compound, it will be good for the safety of the prisoners. The Chief Inspector may perhaps be consulted on the point. Otherwise, he may also be asked to state whether the Bombay plan may be adopted [illegible]

Serial No

on a small scale commensurate with our requirements, and make the whole block with sufficient compound as a separate unit, each block having kitchen, latrine, etc. all in a compact building.

15) The advantage of attaching the lock-up to the Taluk Office is that there will be double watch on the prisoners against their escape. The one being in the proper lock-up Naik - either Police or Warder, and the other the Bar Peons who guard the Treasury, etc.

16) Borders

17) The plan of the Sub-Jail is too elaborate & will not do for our taluk lock-ups. The other plan of a subsidiary Jail attached to a Tahsildar's Office suits our requirements, as latterly, at any rate, a taluk office is built so as to contain a lock-up also. The plan sent up by the Dy for Jaggar and for approval as a model for taluk lock-up is a separate lock-up unconnected with the taluk office. So far as guarding the jail is not so efficient as a lock-up attached to the office itself. It is better to consult the Dy Peons as to the relative merits of the plans sent for him as a model for

Serial No

Head of the Subsidiary Jail, keeping in view the desirability of attaching a lock-up to a Taluk Office, A draft of that effect may be prepared.

Cag 28/12

Pus 28/12

18) Draft Letter for Consideration. The opinion (Para 1 — 30/12/23) of the Ly of Press as regards the relative merits of the several plans sent up, may be of value in coming to a final decision. Draft may perhaps be approved.

(Ltl Secy) 2nd Asst Secy.

Cag 31/12

Pus 2-1 Cag 2/1

5970/2/1

(9) Is there provision in this year's Budget for Salaries? When that has been passed?

Pus 4/1

De 4/1/26

Pus 4-1 Cag 4-1

20) Submd. No provision for this work is made in the Budget Budget. Whether the P.W.D has included this work in their budget this Branch is not aware of, & the P.W.D may perhaps be consulted on the matter.

21 A. may be ascertained

Cag 6-1-26

Pus 6/1

22 Draft Letter 23 Issue Cag 6/1

Cag 5/1 Pus 6/1

General and Revenue Secretariat | Pols File No. 23 of 192 5 | [App. F. III—2

Serial

To The chief Engineer
No P. 3369 dy. 7. 1. 26.
Enquires whether the amount of Rs 5000/- estimated for the lockup construction at Sapar has been provided for in the Budget of his dept in the current year -

6 Letter no: 8126 dated. 16. 1. 26 from the chief Engineer stating in reply to No. 5 that no provision for the work has been made in the P.W.D budget for the current year, but that the work has to be technically sanctioned in the P.W.D, and adding that if the urgency of the work is approved & administrative sanction & the starting of the work accordingly, further needful action will be taken.

24/ Lead for personal reasons with reference to para 6 above.

Secy
18/1/26. 2nd hon.

Lt Secy
18/1

Cay
18/1

6334/1911

L.O.) Is there urgency, or Can the Sec. Question be considered & decided?

20/1

20/1

To Ascertain from P.W.D.

20/1

Draft submitted.

21/1/26.

26 Done
20/1

. R. S. III-2]

General and Revenue Secretariat. | Pris File No. 23 of 1925

Serial No.	
7	To the D. G. of Prisons. No G. 5311 dt. 25-1-1926. Enquires whether the work cannot be taken up after the general question of "adopting a type plan for constructing lock-ups in the State is considered and decided.
8.	Fr. the Inspector-General of Prisons in Dispose 261/31-25 dt. the 28th January 1926. States that the work of constructing a new Lock-up at Dgan on a modified plan can be taken up after the general question of adopting a type plan is considered decided & requests the plan of the Ahmedabad Sub-Jail sent with his letter 14-12-25 might be returned for transmission to the Inspector-General of Prisons.
	29) Subd. with reference to orders in para 25) supra: 30) Draft returning the plan is put up for orders. 30/1 G 31) Done & Returned mw S/2 To the D. G. of Prisons. No G. 561286-2-2 Returning the plan of the Ahmedabad Sub-Jail.

ral and Revenue Secretariat

Pris File No. 3374 54 58 / 23 of 1925.

Serial No.

3rd Submit for orders with reference to para 31.

6/2

2nd Rd with reference to order in para 25 The D.G. Notes that the particular case may be deferred. The draft put up with the note q. 31/12/25 is for orders.

M.V. 8/2

6975 8/2

Secondmember).

3rd Impression - Plans of Ahmedabad Jail & the verandah above

10/2

Hon Mr. Peel Rep. Note R.B. 3/2/26 Secretary

To The D.G. of Prisons.
No. 5938 dt 16-2-26.

Returns the Madras and Bombay plans and requests that they may be retransmitted with his opinion as to the relative merits of the same for adoption as a model in the State.

From the same offr.:- No 746/31-26 dt 8.5.26 Expressing the opinion that the plan proposed by the Chief Engineer may be adopted.

3rd Submit for orders with reference to para 25. The question to be decided now is whether the plan sanctioned by the Govt. may be adopted for a Sub Lockup in this State No. 12.5.26 12/5 12.5.26 125-26 or whether it may. It seems a suitable plan M.V. 13/5

Secy RB 14/5 3rd Agreed Hon Member 14/5 13/5 13/5

WD 71264—GPB—40,000—17-12-25

39) Draft is submitted accdg with a para : lockups at Sagar, subject to approval

17.5.26

17/5

18/5

40) Secy.

~~Home Member~~ RR 18/5

41) Since the decision applied in this file is going for a standard design for the rest the State, the file is sent for perusal

Dewan

RR 19/5

20/5

42) I have one or two suggestions— alterations. Will you ask Mr. Narasappa (Arch. E.) to see me with the papers after my return from Ooty early next month?

JM 21.5.26

43) ~~Please lodge~~ Submit first to Member for perusal and then back to Mr. L. Narasappa Saving time the file.

RR 22/5

44) (Done)

22/5

RR 25/5

WD 01264—GPB—40,000—17-12-25

neral and Revenue Secretariat

Pns File No. 23 of 192 5

Serial No.

45) A. draft D.O. to Hon. S.H.L Navasappa re Ll

26.5.26 26/5/26

46) Submitted draft D.O. for perusal before issue -

26/5

47) Seen Thanks

26/5

Issued. No Q.9728

48) May Hon. S.H.L Navasappa be reminded. He might perhaps enquire if he had seen the Dewan on the subject this afternoon

8.7.26 8/7/26

49) Yes

10/7

50) Draft is Subd

10.7.26 10.7.26

51) Done

Issued No Q.436 of 15/7/2

10.7.26 10/7/26

WD 01264—GPB—40,000—17-12-25

General and Revenue Secretariat

RJS File No. 23 of 192 S.

Serial No. 13

DEWAN'S OFFICE.
Received on
2. AUG. 1926
Reg. No. 778

From the S.H.L. Varanappa. No. 533 of 17-7 Fds. a revised type design plan of a taluk Lock-up as per instructions of the Dewan.

52) A draft ~~letter~~ revised approving the type design is in the file.

53) See para 2

MSK 22-7-26. Secy.

54) Which is the draft— the one with pencil corrections?

55) RR 29/7
L. Branch
Lease put up
1 type copy
mw 29/7

56) Types copy put up
mw 29/7

Secy/medl. 57) RR 29/7 mw 29/7
Fin member

OFFICE OF THE FIRST MEMBER OF COUNCIL
30 JULY 1926
No. 217

58) Issue after making these corrections in the cover one
Lee 31/7.

Dewan) RR 31/7. mw 31/7

59) JM 2.8.26

(Works Drawings Dies also to be supplied to the Arch. Engr., so that all changes in subsequent plans or alterations may be obviated)

60) Please add these DOs to the draft
Pl see my note
Done
RR 3/8

WD 01264—GPB—40

ral and Revenue Secretariat

Pris File No. 23 of 1925.

Serial No. 14

The Comptr, The D.G. of Prisons
The Ch. Engineer
No. G. 1207-9 dy 5-8-26
Sanctions a modified type design and estimate for adoption in future for Taluk lock-ups in the State & requests the Chief Engr to arrange for a lock-up according to the design being built at Sagar during 1926-27.

From The Chief Engineer of Mysore
No. 6201/- 28.1.1927
Fds two copies of ~~the plans of the type~~ design books, and two copies of abstract estimate as ~~requested~~ per request made in the Secrett.

Subd:— The file will be recorded after perusal.

28/1/27 MSK } The Ch. Engr. has sent two copies each of the type plan and estimate of the type design of lock-up buildings already sanctioned in Serial no 14 for perusal

13/1

Secretary

13/1

NOTE—Contn. Sheet

16526

1666 (1)
P & 25

No. 1294/31-25 Ecc.3.

OFFICE OF THE INSPR.-GEN. OF PRISONS IN MYSORE,

FROM

Dated Bangalore, 17th October 25 fmo.

Dr. B. Mahomed Usmon, L.M.S.,

Inspector-General of Prisons

in Mysore, Bangalore.

B. Naganna, Esqr., Bar-at-law.,

Secretary to the Government of H.H. the Maharaja o

Mysore, L.& L. Departments, Bangalore.

SIR,

I have the honour to forward herewith a modified plan and a estimate amounting to Rs. 5000/- for the construction of a new - Lock-up building at Sagar, received from the Chief Engineer in Mys and to request that you will be so good as to have the plan approv of by Government, for adopting the same as a type plan and return the same to this Office, for transmission to the Chief Engineer in Mysore, as desired by him.

I have the honour to be,

Sir,

Your most obedient servant,

Usmon

Inspector-General of Prisons.

avl/17-10.

Estimate for Constructing a Lock.. at Sagar. Shimoga District.

Rec. No ... 1-1-1924 FOR IRRIGATION.

Items of Work.	Per	Rate			Quantity	Cost
Earth work excavating and filling in the basement —	cyd	-	4	-	62	16
Lehumam Concrete.	cft	-	5	-	570	178
Laterite Stone in chunnam -	cft	-	5	6	1988	682
Burnt Brick in Chunnam.	cft	-	5	6	2128	732
Plastering with Chunnam —	Sqr	5	-	-	88-66	19-2
White washing —	Sqr	-	4	-	286-70	71
Color washing —	Sqr	-	6	-	10-99	4
Flooring with Kadapah slabs on 3" Concrete & Cement-points	Sqr	40	-	-	6-53	26
Teak wood work wrought and put up —	cft	5	8	-	57-16	311
Wood oiling —	Sqr	3	-	-	10-00	30
Teak wood eave boards — Plain	Rft	-	10	-	139	87
Roofing with - 1st class Mangalore Tiles on teak reapers —	Sqr	35	-	-	12-08	444
Ridge Tiles set in mortar and Cement-pointed —	Rft	-	12	-	35	26
Teak wood panelled doors with necessary - iron fittings	Sft	2	-	-	91	182

	doors as per designs shown for Lock up rooms -	each	120	.	-	4.	4.80
	Gators with iron bars.	Sft	1	8	-	32	4.8
	windows battens with iron rods etc complete -	Sft	2	8	.	123.	208
18.	Expanded metal Ceiling with ½" teak battens	Sqr	60	.	.	2-30	138
19.	Burnt Stone slabs -	Sft	1	4	.	311	390
20.	Lehumam borders	Rft	.	3	.	69	13
21.	Lehumam pointing to basement	Sqr	2	8	.	2-51	6
22.	Lehocolate painting (Silicate).	Sqr	5	8	.	7-81	43
3.	Lelearing site & levelling ground	L S R.	.	.	.	.	100
4.	Drainage pipes etc.	L S R.	.	.	.	.	25
	Total						4,762.
	Contingencies @ 5%						238
	Grand Total Rupees						5,000.

Countersigned

Assistant Engineer

Deputy Commissioner

Shimoga

Dt. 4-2-24

Recommended

A. Jamadagni

19-2-24

Executive Engineer,

Shimoga Division.

11/4/24

Countersigned

Inspector General of Prisons

Mysore P. W. Department.

Shimoga Division.

Estimate for Construction
a Lock-up at Sagar
Shimoga District.

Amount of Estimate Rs. 5000/-

App.F.VI GI.]

SUBJECT....

Section [illegible]

File No. 23-25

Serial No. 2

No. 6'2387

To The Secretary

Sir,

With reference to your letter
No. 12411 31. 25 D.10 of
requesting for sanction to the
adoption of a plan for
[illegible] in connection with the
[illegible] I am
directed to request you to
be pleased to let this
and forward [illegible]
from Dr. Adrian in
[illegible] before
adopting the plan suggested -

Thanks

Yours [illegible]

Diary No. of letter replied to .....

General and Revenue Secretariat

( )

, the 192

Date of issue 6-11-25

Signed by for E. A. Glancy

List of enclosures.....

Copied by .....

Examined by.....

3/11/25

23922

No. 1533 Enc. one plan. Office of the Inspector-General of Prisons
31-25 in Mysore,

Dated Bangalore, 10th December 1925.

From

Dr. B. Mahomed Usmon, L.M.S., Pris 23-25-3
Inspector-General of Prisons
in Mysore, Bangalore.

B. Nagappa, Esqr., Bar-at-law.,
Secretary to the Government of H.H. the
Maharaja of Mysore, Local and Legis:
Departments, Bangalore.

Sir,

With reference to your letter No.P.2337/Pris. 23-25-2 dated 6th November 1925 requesting me to obtain and forward model plans of Taluk Lock-ups (or Sub Jails) from British India, for the purpose of comparison, I have the honour to forward herewith a plan for the construction of a Sub Jail as recommended by the Indian Jails Committee, received from the Inspector-General of Prisons in Madras, who says that it is adopted in cases of new Sub Jails opened in that Presidency. The Inspector-General of Prisons, Bombay Presidency, who had also been addressed on the subject, - states that no "Type-Design Sub Jail" exists in that Presidency and that however, a Sub Jail is being built now at Ahmedabad, the plan of which has received the approval of the Government of Bombay. He has promised to furnish me with a copy of the said plan, which on receipt, will be duly forwarded to Government.

I have the honour to be,

Sir,

Your most obedient servant,

Inspector-~~General~~ of Prisons.

avl./10-12.

(19 2471/P 25

24304 Encl. one plan.

O. 1547 Office of the Inspector-General of Prisons
31-25 in Mysore,

Dated Bangalore, 14th December 1925.



From

Dr. B. Mahomed Usmon, L.M.S.,
Inspector-General of Prisons
in Mysore, Bangalore.

To

B. Nagappa, Esqr., Bar-at-law.,
Secretary to the Government of H.H. the
Maharaja of Mysore, L.& L. Dpets.,

Sir,

In continuation of this Office letter No.1533/31-25 dated the 10th instant, I have the honour to forward herewith a copy of the Plan of the Sub Jail at Ahmedabad and to request that the same may kindly be returned to this Office (when done with) for retransmission to the Inspector-General of Prisons, Bombay Presidency, who wants it back.

I have the honour to be,

Sir,

Your most obedient servant,

for Inspector-General of Prisons.
(Absent from Hd. Quarters)

avl./14-12.

APP. F. VI. Gl.]

SUBJECT.....

.....

.....

Section Pris

File No. 23-25

Seria No. 9

No. 3369

To The Chief Engineer
in Mysore, Bangalore

Diary No. of letter replied to.....

General and Revenue Secretariat
( )
the 192

Sir,

I am directed to state that the G. of I. observations has submitted for the approval of Govt. a modified plan and estimate for Rs 5000/- for the construction of a new lockup building at Sagar prepared by you, and to enquire whether provision for this work has been made in the current year's budget of your department.

An early reply is requested.

I have &c

Date of issue 7/1/26

Signed by W. Legg.

List of enclosures.....

Copied by [illegible] 7/1/26

Examined by.....

Cash 6/1 over

Legg

WD 0562—GPB—31,000—17-8-25

3410

2885 P 825 27

826

VD 1998—GPB—5,000—27-4-25

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore, 16 January *1926.*



JOHN BHORE, Esq., A.M.I.C.E.,
Chief Engineer of Mysore,
Bangalore.

B. Nagappa, Esq., Bar-at-Law.,
Secretary to Government,
Local and Legislative Departments,
B A N G A L O R E.

SIR NEW LOCK-UP BUILDING AT SAGAR.

With reference to your letter No.P.3369/Pris.23-25-4 dated the 7th January 1926 enquiring whether provision for the construction of the new Lockup at Sagar has been made in the Budget ----- Estimate for the year 1925-26 I have the honour to reply you in the negative.

2. The estimate for the work has to be technically sanctioned in the Public Works Department. If the urgency of the work is approved and administrative sanction to the ~~cutlay~~ starting of the work is accorded further needful action will be taken by this office.

I have the honour to be,
Sir,
Your most obedient servant,

S V Lakshminarasimha

A.N.15th. FOR CHIEF ENGINEER OF MYSORE.

P. F. VI. GI. 2911

UBJECT.....

.....

.....

iary No. of letter replied to.....

General and Revenue Secretariat

( )

the *192*

Date of issue 25.1.26

Signed by.....

List of enclosures.....

Copied by.....

Examined by.....

Section Pris 23-25

File No.

Seria No. 7

No. G 5311

To The D. G. of Prisons.

Sir,

With reference to correspondence ending with your letter No. X 1547/31-25 dt 14th Dec. 25 in the matter of constructing a new lock building at Salem on a modified plan at an estimated cost of Rs 5,000/-, I am directed to enquire whether this work cannot be taken up after the general question of adopting a type plan for constructing Lock-ups in the State is considered and decided, ~~no~~ no provision has been

over

WD 0562—GPB—31,000—17-8-25

made for the work in the
current year's budget either
in the prisons or in the P.W. Depart.

I have etc.

M.V.
22/1
for Secy A.A.L. etc.
Lal

Bom 3378. (27

No. 261/31-25 Office of the Inspector-General of Prisons in Mysore,

Dated Bangalore, 28th January 1926.

From

The Inspector-General of Prisons in Mysore, Bangalore. Pris 23-25-8

To

The Secretary to the Govt: of H.H. the Maharaja of Mysore, Representative Assembly and Legislative Council, Bangalore.

Sir,

With reference to the correspondence ending with your letter Bo. G. 5311/Pris 23-25-7 dated 25th January 1926 in the matter of constructing a new Lock-up building at Sagar on a modified plan, at an estimated cost of Rs. 5000/-, I have the honour to state that this work can be taken up after the general question of adopting a type plan, for constructing Lock-ups in the State is considered and decided.

I request that the copy of the plan of the Sub Jail at Ahmedabad sent with this Office letter No.1547/31-25 dated 14th December 1925 may kindly be returned to this Office, for transmission to the Inspector-General of Prisons, Bombay Presidency, who wants it back.

I have the honour to be,

Sir,

Your most obedient servant,

Inspector-General of Prisons.

avl./28-1.

SUBJECT.....

.....

.....

Section Pris

File No. 23-25

Seria No. 9

No. G 56/2/Sc/1

To The I. G. of Prisons

Diary No. of letter replied to.....

General and Revenue Secretariat

( )

the *192*

Date of issue 6/2/26

Signed by Mr. M.V.D.

Sir,

With reference to para 2 of your letter No 261/31-25 of the 28.1.26 I am directed to return as desired ~~herewith~~ the plan of the Sub Jail at Ahmedabad sent with your letter No. 1547/31-25 of 14. Dec 192

I have &c

for Secretary

R.A. & C. Depts

List of enclosure

Copied by.....

Examined by.....

Over

[. F. VI. Gl.]

BJECT.....

.....

.....

Section Pus

File No. 23-25

Seria No. 10

No. G 5938/Gen/Secs 3

To Mr. M. Hinton

Diary No. of letter replied to.....

General and Revenue Secretariat

( )

the 192

Date of issue 16/2/26

Signed by Mr. M.V.J.

Sir, With reference to correspondence with your letter No. 18 dated 14.12.25 in the matter of the construction of a flight of bathing steps at Juhu for the Municipal Corporation of Greater Bombay & other to return the plans received as enclosures to the letter under reply, with a request that same may be returned with your opinion as to the relative merits of the ~~several plans of those obtained from Bombay~~ same for adoption as a model for this State, keeping in view the desirability of attaching

over

List of enclosures.....

Copied by.....

Examined by.....

WD 0562—GPB—31,000—17-8-25

Cockup to Talukdar,
i consultation with the
Engineer if necessary.
The proposed ~~[illegible]~~ and
existing office design plans of myself
are also sent for reference and
shown along with your reply

Thanks

Cong 31/12 L to L-dy
G 5939 § 16.2.26.

Thanks
Office to Chief Engineer with
instructions for enforce & thereafter.

Sd/
Hon

Cong 31/12 L to L-dy

880
30/12/25

Pris 5450 27

No. 746 Office of the Inspector-General of Prisons
31-26. Encl. 4. in Mysore,
Dated Bangalore, 8th May 1926.

Pris 23-25-1

Dr. B. Mahomed Usmon, L.M.S.,
Inspector-General of Prisons
in Mysore, Bangalore.

R. Ranga Rao, Esqr., B.A., B.L.,
Secretary to the Govt: of H.H. the Maharaja of
Mysore, Medl: & Agl: Depts., Bangalore.

Sir,

With reference to your letter No.G. 5938/Pris 23-25-1(dated 16th February 1926 requesting me to furnish my opinion as to th relative merits of the plans regarding the construction of a Taluk Lock-up at Sagar and for adoption of the same as a model plan in th State, I have the honour to state that the Chief Engineer of Mysor who was consulted in the matter has intimated to me in his letter No.12491 dated 3rd May 1926 (copy enclosed for perusal) that the type design now recommended by him in place of the old one is best suited for the requirements of a Taluk Lock-up in the State in preference to the type designs of the Madras and Bombay Presidenci The cells measuring 7' x 6' as provided for in the existing design having been found too small for confining prisoners, I have recommended the construction of rooms measuring 12' x 10' in the proposed plan.

The construction of large Lock-ups or Sub Jails as tha of Bombay and Madras Presidencies at the Taluk Head Quarters is considered unnecessary as the admission of prisoners here is not so great as it is in British India.

I am of opinion therefore that the plan proposed by the Chief Engineer may be adopted.

The plans received with your letter under reply are herewith returned.

I have the honour to be,
Sir,
Your most obedient servant,

M Usmon

Letter No. 12491/3 dated 3rd May 1926 from the Chief Engineer of Mysore, Bangalore, to the Inspector-General of Prisons in Mysore Bangalore.

Type design for Taluk Lock-ups in the State.

With reference to your letter No. 394/31-25 dated the 18th February 1926 calling for expression of my opinion on the several type designs for the construction of Taluk Lock-up buildings in the State, I have the honour to observe as follows:-

(1) The Lock-up buildings to be constructed in the State as per type plan now under contemplation are required in connection with the establishment of the Special Magistrate's Court under the recently sanctioned scheme for the separation of the - judicial and the executive functions in the State.

The new Lock-up buildings therefore are to supplement the existing cell accommodation in the Taluk Office buildings in the different parts and cannot therefore be compared with the designs for similar buildings in British India where the the Lock-ups are constructed as Sub Jails and form an integral part of the Taluk Office building.

(2) The determination of the size of the individual cells, however, is the only point that has to be taken up while comparing the designs before us. Each cells measures 12' 0" x 8' 6" in Sub Jails in Madras while the size noted in the type plan under reference measures 12' x 10' and this size has been proposed by this Office as the cell has to be used both as living and dining room by day and as bed room at nights. You yourself have opined that cells measuring 7' x 6' as provided for in the existing type design are too small for human habitation.

(3) Again, the arrangement of rooms in the type plan now proposed is such as to admit of construction of cells of any number from two to six according to the requirements of different localities in the State, so that if ~~any~~ in any particular place only 2 or 3 cells are considered to be sufficient to serve the immediate needs, a smaller building may be put up and this may easily be extended to contain 6 cells later on if necessity arises; but as these cells are to be constructed independently of the Taluk Office, these are built round a central Hall which is required for the accommodation of the sentry and the police staff on duty to watch over the under-trial prisoners. For this reason this hall will serve the purpose better than the long corridor as shown in the existing type plan.

2. For reasons given above and also because the plan now recommended is the most economical design that can be made up for the required accommodation and to fulfil the conditions for a proper Jail building, I recommend that the same may be adopted in preference to the existing type plan, the size of the cells may, however, be - reduced to 12' x 8½' if in your opinion this is considered sufficient instead of 12' x 10' as recommended by you sometime back.

3. The plans received with your reference under reply are herewith

herewith returned.

4. This disposes of your reminder No. 653/31-25 dated the 22nd April 1926.

-@-@-@-@-@-@-@-@-

" C O P Y "

for. Inspector-General of Prisons.

7th May 1926.

avl./7-5.

TYPE PLAN OF TALUK LOCK-UP

SCALE 5' = 1"





SECTION ON A.B.



SECTION ON A.B.



PLAN OF TALUK LOCK-UP.

— OF —

— SIX ROOMS —

SCALE 8'-1"

Millquard
P.W.D. Overseer.

Asst Engineer.
OF MYSORE.
10.10.25.

PLAN OF A SUBSIDIARY ANNEXED TO A DEPUTY TAHSILDAR'S OFFICE.

PLAN No 6.

(Referred to in Chapter XX, paragraph 541.)

SCALE ONE INCH EQUALS EIGHT FEET





PLAN

Roland Holt A.R.I.B.A.
ARCHITECT, SIMLA. W.C. SEPR 1ST 1920.

VI. cl.]

JCT.....

.....

.....

Section Prisons

File No. 23/25

Serial No. 12

No. G 9728 / Enclos. three pl

Diary No. of letter replied to 5450

General and Revenue Secretariat

(G. H.)

the *192*

To .....

Date of issue 27/5/26

Signed by Mr. J. S. M.

I am sending herewith ~~the~~ ~~Draft~~ ~~sanction~~ ~~and~~ ~~the~~ ~~area~~ of a type design intended for the lock ups in the State, and I am in this Connection

Dear Sir,

I am desired to requ
you to see the Dewan charge
Trivandrum requesting that
relieve from Ooty early next
month, along with the ~~Asst~~
~~forgoing~~ plans ~~relating to~~
~~type design for the lock-ups~~
~~in the State~~

List of enclosures.....

Yours sincer

Copied by.....

26/5

Examined by .....

HM 26526 — 26/5 — RB 26/5

S. H. Lakshminarasappa Esq B.

over

(34) BM 494
Pris 23-25-13

D. O. No. 533

MYSORE PUBLIC WORKS DEPARTMENT
CENTRAL OFFICE,

Dated Bangalore the 16th July *192*

17

Dear Mr. Venkatesa Iyengar.

With reference to your D.O. letter No.97: Pris.23-25 dated the 27th May 1926, I herein enclose a modified type design plan for Lock-ups in the State prepared as per instructions of the Dewan together with an abstract estimate for the same.

I request you to kindly acknowledge the receipt of the same.

Yours sincerely,

M.Venkatesa Iyengar,Esq., M.A.,
Under Secretary to Government,
General & Revenue Secretariat,
Bangalore.

Enclosures:-
1.Original Tracing plan
1 Modified tracing plan
1 Abstract estimate
1 Type plan
1 Plan of a subsidiary Jail
5 annexed to a Deputy Tahsildar's office.

PROCEEDINGS OF THE GOVERNMENT OF

HIS HIGHNESS THE MAHARAJA OF MYSORE.

----oOo----

R E A D.-

Correspondence ending with letter -- No. 746/31-26, dated the 8th May 1926 from the Inspector-General of Prisons in Mysore submitting for approval a revised plan -- (received from the Chief Engineer of My-- sore) of a lock-up which is best suited to the requirements of a Taluk lock-up in the State and recommending that this plan may -- be adopted as the type design for Taluk ~~in~~ lock-ups to be built in future.

Order No. G/207-9/Pris 23-25-14 Bangalore, 5th August July 26.

The modified type design ~~plan~~ and estimate since -- received from the Chief Engineer's Office are approved for adoption in future for Taluk lock-ups.

2. The Chief Engineer is requested to take action to arrange for a ~~similar~~ lock-up and design being built at Sagar during the year -- 1926-27.

Secretary to Government,
Medical and Agricultural Department

To

The Comptr., to Govt.
The I.-G. of Prisons in Mysore.
The Ch. Engr., with revised plan for sending two copies of the plan to ~~the~~ this office and copies to the Inspector-General of Prisons, working estimate. Copy of Dewan's note 9/7

JOHN BHORE, Esq., A M I C E, Etc.,
Chief Engineer of Mysore,
Bangalore.

No. 6201 Dated 6/1/27

The General Secretary to Govt of
Bangalore.

Sir,

With reference to your No. G. 663 ch Decr: 1926, re type design for constructing Taluk lock-ups in the State, I have the honor to forward herewith two copies of the type design with copies of abstract estimate for information.

I have the honour to be,
Sir,
Your most obedient servant,

FOR CHIEF ENGINEER OF MYSORE.

Abstract estimate of the probable cost of constructing a taluk lock-up building.

No.	Item of work	Quantity	Per
1	Earthwork excavation and filling in the basement ...	95	Cyds.
2	Stone jelly in mortar concrete	884	C.ft.
3	Stone in mortar foundation and basement	2,532	C.ft.
4	Burnt brick in chunam superstructure	5,225	C.ft.
5	Burnt stone slabs 6″ thick cut and fitted dressed	362	S.ft.
6	Burnt brick in chunam arch work	19	C.ft.
7	Teak wood work wrought and put up with oiling	153'97	C.ft.
8	Rolled steel girders	3	C.wt.
9	Plastering with chunam 2 coats	74'96	Sq.
10	Roofing with Mangalore tiles on teakwood reepers nails etc., complete.	8'38	Sq.
11	Ridge tiles set in mortar	78	R.ft.
12	Roofing with brick on edge	9'82	Sqr.
13	Teakwood door pannelled shutters fittings complete ..	64	S.ft.
14	Iron doors with hinges bolts etc., for cellars as per type design	17	S.ft.
15	Teakwood windows with pannelled shutters, iron bars etc., complete.	33	S.ft.
16	Ventilators with R. C. perforate on 2″ thick complete ..	54	S.ft.
17	Moulding around door in front etc	103	R.ft.
18	Corner cut lines as per design in plaster	384	S.ft.
19	Brick in chunam parapet walls complete	155	R.ft.
20	Cornice 9″ thick	162	R.ft.
21	Dealwood eaves board	107	R.ft.
22	Binding wall over roof	28	R.ft.
23	Stone Brackets below window	4	Each.
24	Cement pointing to basement	373	Sq.
25	Flooring with Cudapah slabs on 3″ concrete and cement pointing.	11'29	Sq.
26	Painting with chacolate	128	Sq.
27	White and colour washing	74'96	Sq.
28	Ornamental work and unforeseen	...	Lump sum.
	Cost of Kitchen.		
1	Earthwork excavation	4	Cyd.
2	Stone in mud foundation and basement	131	C.ft.
3	Stone slabs 6″ thick	50	S.ft.
4	Jungle wood work	9'37	C.ft.
5	Flooring with cement and chunam plastering	64	Sq.
6	Roofing with Mangalore tiles on teak reepers nails etc., complete	2'08	Sq.
7	Cutting U shape in pillars	4	Each.
	Cost of constructing a latrine.		
1	Earthwork excavation	2	Cyd.
2	Stone in mud foundation and basement	61	C.ft.
3	Brick in mud	93	C.ft.
4	Plastering with chunam	2'69	Sq.
5	Coping with brick in chunam and chunam plastering over ..	27	R.ft.
6	Constructing drain	16	R.ft.
7	Constructing cistern	..	Lump sum.
8	Flooring with concrete	36	Sq.

Probable cost will be about Rs 7000/-

JOHN BHORE,
Chief Engineer of Mysore.

WD 907—GPB—100—9-11-26.

Abstract estimate of the probable cost of constructing a taluk lock-up building.

No.	Item of work	Quantity	Per
1	Earthwork excavation and filling in the basement ...	95	Cyds.
2	Stone jelly in mortar concrete	884	C.ft.
3	Stone in mortar foundation and basement	2,532	C.ft.
4	Burnt brick in chunam superstructure	5,225	C.ft.
5	Burnt stone slabs 6″ thick cut and fitted dressed	362	S.ft.
6	Burnt brick in chunam arch work	19	C.ft.
7	Teak wood work wrought and put up with oiling	153'97	C.ft.
8	Rolled steel girders	3	C.wt.
9	Plastering with chunam 2 coats	74'96	Sq.
10	Roofing with Mangalore tiles on teakwood reepers nails etc., complete.	8'38	Sq.
11	Ridge tiles set in mortar	78	R.ft.
12	Roofing with brick on edge	9'82	Sqr.
13	Teakwood door pannelled shutters fittings complete ..	64	S.ft.
14	Iron doors with hinges bolts etc., for cellars as per type design	17	S.ft.
15	Teakwood windows with pannelled shutters, iron bars etc., complete.	33	S.ft.
16	Ventilators with R. C. perforate on 2″ thick complete ..	54	S.ft.
17	Moulding around door in front etc	103	R.ft.
18	Corner cut lines as per design in plaster	384	S.ft.
19	Brick in chunam parapet walls complete	155	R.ft.
20	Cornice 9″ thick	163	R.ft.
21	Dealwood eaves board	107	R.ft.
22	Binding wall over roof	28	R.ft.
23	Stone Brackets below window	4	Each.
24	Cement pointing to basement	373	Sq.
25	Flooring with Cudapah slabs on 3″ concrete and cement pointing.	11'29	Sq.
26	Painting with chacolate	128	Sq.
27	White and colour washing	74'96	Sq.
28	Ornamental work and unforeseen	...	Lump sum.
	Cost of Kitchen.		
1	Earthwork excavation	4	Cyd.
2	Stone in mud foundation and basement	131	C.ft.
3	Stone slabs 6″ thick	50	S.ft.
4	Jungle wood work	9'37	C.ft.
5	Flooring with cement and chunam plastering	64	Sq.
6	Roofing with Mangalore tiles on teak reepers nails etc., complete	2'08	Sq.
7	Cutting U shape in pillars	4	Each.
	Cost of constructing a latrine.		
1	Earthwork excavation	2	Cyd.
2	Stone in mud foundation and basement	61	C.ft.
3	Brick in mud	93	C.ft.
4	Plastering with chunam	2'69	Sq.
5	Coping with brick in chunam and chunam plastering over ..	27	R.ft.
6	Constructing drain	16	R.ft.
7	Constructing cistern	..	Lump sum.
8	Flooring with concrete	36	Sq.

JOHN BHORE,
Chief Engineer of Mysore.

WD 907—GPB—100—9-11-26.


2x2
CISTERN
— PLAN OF LATRINE —
DRAIN.
6'x4'


— ELEVATION —


— PLAN —
8
3'x1½'
10'-0"
5'-3"
CELL
12'-0"
3½x7'
27'-6"
14'-0"
OFFICE
3'x7'
4'x8'


— PLAN OF KITCHEN —
MUD WALL TO BE
PUT UP BY
CONVICTS.
8'x8'


— ELEVATION. —
LOCK-UP.


9'-9"
8'-0"
SECTION



— SECTION ON A.B. —





— MODIFIED TYPE DESIGN —

— FOR TALUK LOCK-UP —

— OF —

— SIX ROOMS —

— SCALE 8'=1" —

CHIEF ENGINEER
OF MYSORE.

ARCHITECT.
28/10/46.

COUNTERSIGNED

SIGNED MUHAMAD USMAN

INSPECTOR GENERAL OF PRISONS.


2'x2'
CISTERN
PLAN OF LATRINE
DRAIN.
6'x4'


ELEVATION


3'x1½'
10'-0"
CELL
12'-0"
CELL
3½'x7'
3½'x7'
27'-6"
14'-0"
CELL
12'-0"
3½'x7
OFFICE
10'-0"
3'x7'
4'x8'


PLAN OF KITCHEN
MUD WALL TO BE
PUT UP BY
CONVICTS.
8'x8'


9'-9"
9'-6"
2'-0"
SECTION


ELEVATION.
LOCK-UP.



— SECTION ON A.B. —





— MODIFIED TYPE DESIGN —

— FOR TALUK LOCK-UP —

— OF —

— SIX ROOMS —

— SCALE 8'=1" —

CHIEF ENGINEER OF MYSORE.

ARCHIT

COUNTERSIGNED

SIGNED MUHAMAD USMAN

INSPECTOR GENERAL OF PRISONS.